



SIZE	H	B	C	Thickness	Input width base on 2mm/R2
C100	100	50	15	1.6-2.0	221
C160	160	60	15	1.6-2.0	301
C180	180	60	18	1.6-2.0	324
C220	220	80	20	2.0-3.0	401
C200	200	70	20	2.0-3.0	371
C250	250	70	20	2.0-3.0	421
C300	300	80	20	2.0-3.0	481

MxPURLIN (C)

ISSUED FOR APPROVAL SENT ON _____ IN ORDER TO SCHEDULE THIS PROJECT IN THE MOST EFFICIENT MANNER, RETURN THESE DOCUMENTS, MARKED WITH YOUR COMMENTS, WITHIN ONE WEEKS FROM THE ABOVE MENTIONED DATE. ANY CHANGES MADE AFTER APPROVAL OF THESE DRAWINGS MAY DELAY THE FABRICATION AND DELIVERY PROCESS.						NOTE:- 1. IF ANY OPENING / CUTOUTS IN ROOF / WALL CLADDING COMES AT LATER STAGE OTHER THAN SHOWN IN THE DRAWINGS WILL BE EXECUTED AT EXTRA COST. 2. SILICONE SEALANT WILL BE USED TO SEAL THE LENGTH WISE JOINTS OF SHEETS & FLASHINGS. 3. ALL FASTENERS / SCREWS ARE STANDARD CONFORMING TO BE AS PER TENDER 4. TOP SHEET : CLADDING SHEET A) MAKE :- B) PROFILE :- C) THICKNESS :- D) SPECIFICATION :- E) COLOR :- 5. FLASHING : AS MENTIONED IN DRAWING WITH TH SAME SPECIFICATION OF ROOF / WALL CLADDING SHEETS. 6. Ⓢ DENOTES COLOR SIDE		CLIENT: M/s. - Architect: M/s. - PROJECT : M/s. - PRIME CONTRACTOR: M/s. -		Building: -- Drawing Title: MxPURLIN (C) MAXROOF MAX ROOFING SYSTEMS PVT. LTD. E-MAIL: design@maxroof.in, contact@maxroof.in WEBSITE: www.maxroof.in OFFICE: 54/4, FRI COL, NEREP PURLE SQUARE, KALWA (EAST), KASAPATE WASTE WAKAD PUNE - 411 057 CONTACT : 989-2751430 / 94193019, Mob: 941-195 0495		SCALE: N.T.S. DRG. NO.: 05 DATE: 14-04-2014 DRN BY: SNEHA CHK BY: --- REV. NO.: 00	
1. <input type="checkbox"/> APPROVED NO CHANGES. PROCEED WITH FABRICATION. 2. <input type="checkbox"/> APPROVED AS NOTED FABRICATION MAY PROCEED ON THE BASIS OF CORRECTIONS INDICATED. RESUBMIT AFTER INCORPORATING THE COMMENTS FOR RECORD. 3. <input type="checkbox"/> RESUBMIT AFTER INCORPORATING THE COMMENTS FOR REAPPROVAL. REVIEWED BY: _____ NAME: _____ SIGNATURE WITH STAMP: _____ DATE: _____		REV		REVISIONS		DRAWN		CHK BY		DATE			